


**AMENDMENTS TO THE CLAIMS**

1. (Original) A fungicidal mixture for controlling rice pathogens, comprising


1) the triazolopyrimidine derivative of the formula,



I

and

2) an acryloylmorpholide of the formula II,




II

in which X is chlorine or fluorine,

in a synergistically effective amount.

2. (Original) A fungicidal mixture comprising the compound of the formula I and the compounds of the formula II in a weight ratio of from 100:1 to 1:100.

3. (Original) A fungicidal mixture comprising, as acryloylmorpholide, dimethomorph of the formula IIa



4. (Currently amended) A fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in ~~any of claims 1 to 3~~ claim 1.
5. (Original) A method for controlling harmful fungi which are rice pathogens, which comprises treating the fungi, their habitat or the plants, the soil or the seeds to be protected against fungal attack with an effective amount of the compound I and one of the compounds II as set forth in claim 1.
6. (Original) A method as claimed in claim 5, wherein the compounds I and II as set forth in claim 1 are applied simultaneously, that is jointly or separately, or in succession.
7. (Currently amended) A method as claimed in claim 5, wherein the mixture ~~as claimed in any of claims 1 to 3~~ is applied in an amount of from 5 g/ha to 1500 g/ha.

8. (Currently amended) A method as claimed in claim 5 or 6, wherein the mixture ~~as claimed in any of claims 1 to 3~~ is applied in an amount of from 1 to 1000 g/100 kg of seed.
9. (Currently amended) A method as claimed in ~~any of claims 5 to 8~~ claim 5, wherein the harmful fungus *Pyricularia oryzae* is controlled.
10. (Currently amended) Seed, comprising the mixture as claimed in claim 1 ~~or 2~~ in an amount of from 1 to 1000 g/100 kg.
11. (Original) The use of the compound I and the compound II as set forth in claim 1 for preparing a composition suitable for controlling harmful fungi.